

Product Guide HE Series...





Advanced Distributor Products™



HE Series

The Premier Upgrade for Any System...

Introducing Healthy Solutions[®] Premier Evaporator Coils by ADP. These coils match perfectly with your system, providing an upgrade over standard matched coils.



Built-in plenum flanges with rounded corners for fast and safe installation



Front panel with only four screws for fast and easy coil access

Non-captive refrigerant lines



Intertek lab tested <u>1% or less</u> cabinet air leakage for better efficiency



Painted cabinet options for furnace color coordination

TXV with all threaded connections; no brazing required





Aluminum or copper coils provide flexibility for local markets

HydroTEC[™] drain pan design for lower water retention

Dual drain connections on each side for ease of installation





Improved Air Quality

Microbes can double every 20 minutes on an untreated surface!



Standard plastic pan with visible mold Plastic pan with Microban[®] antimicrobial additive

Mold is part of our environment and there are no practical ways to completely eliminate mold spores. The best defense against mold in a home is to prevent it from taking hold through moisture control and the use of mold resistant building materials.

Every Healthy Solutions[®] coil features Microban[®] technology, providing added protection against the build-up of mold and mildew within your system!

Lower Height

ADP provides space saving opportunities and a perfect fit with your furnace!



The ADP Advantage...

PROTECTION

ADP is the exclusive provider of coils featuring antimicrobial product protection by Microban®, a recognized consumer brand.

QUALITY

ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems.

SERVICE

Healthy Solutions® coils are made for seamless installation and easy access.

ENERGY SAVINGS

Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits.

WARRANTY

Healthy Solutions® coils feature an available 10-year limited warranty. Simply register online at <u>www.adpwarranty.com</u>.

Product Nomenclature



	Н	E3	80	2	24	С	145	В	1	2 0	5 A	Р	
Cabinet Color H: Embossed												Piston Size ^[3] AP: TXV access port ^[4]	
A: Armstrong D: Ducane/Aire-Flo G: ICP J: Goodman/Amana L: Lennox N: Nordyne P: Carrier/Bryant/ Payne R: Rheem/Ruud T: Trane/American Standard Y: York/Luxaire/ Coleman Slab Number E & A: Copper slab G: Aluminum slab	1										00: 01: 04: 05: 20:	MBTUH R-22 R-410A 12: 41 41 18: 53 49 24: 59 53 30: 67 59 36: 73 67 42: 80 73 48: 84 76 60: 93 93 uct Code ^[5] Right-hand uncased Right-hand cased Left-hand cased Left-hand cased Right-hand cased Left-hand cased Right-hand cased Right-hand cased multi-position Left-hand cased Right-hand cased	
Metering Device [1]1: Piston (R-410A)2: Piston (R-22)6: Non-bleed A/CTX7: Bleed HP-A/CTX8: Bleed A/CTXV (F9: Non-bleed HP-A/CTX	V (R- R-410	410A) A))							00: 12: 16: 18:	et Heig Unca: 12.50 16.50	g ht ^[6] sed " "	
Nominal MBTUH Cabinet Depth ^[2]									A:	n et Up r Uncas 0.75" (ed		
A: Uncased C: 20.5" D: 21.0" E: 21.5" [1] 7 and 8 valve options available only for York family products. 2] C-depth not available for aluminum slabs. 3] Piston will be sized to match the nominal BTU rating of the coil							v	/idth Case 140:	14.00				
								142: 14.25" 140: 14.00" 145: 14.50" 155: 15.50" 175: 17.50" 170: 17.00"					

- [2] C-depth not available for aluminum slabs.
- [3] Piston will be sized to match the nominal BTU rating of the coil. [4] TXV access port standard on factory installed TXVs;
- optional on piston models.
- [5] Refrigerant connections and exposed drain connections are both on the left or right side as indicated.
- [6] Cabinet height not a selectable option, see cased dimensions.

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087 www.adpnow.com

ISO 9001:2008 Registered Quality System-

200: 20.00"

205: 20.50"

235: 23.50"

251: 25.12"

210: 21.00"

245: 24.50"

255: 25.50"

AHR CERTIFIED

SL-HAC-15 February 2017

© by Advanced Distributor Products. All rights reserved. We reserve the right to make changes in specification, at any time, without notice and without liability to purchasers or owners of previously sold equipment.